

# UNITED REPUBLIC OF TANZANIA



## Ministry of Health

### HEALTH FACILITY REGISTRY-FACILITY DETAILS

|                                 |                                                            |
|---------------------------------|------------------------------------------------------------|
| <b>Facility Name:</b>           | Meatu DC                                                   |
| <b>Common name:</b>             |                                                            |
| <b>Status:</b>                  | Operating                                                  |
| <b>Facility Code:</b>           | 124813-7                                                   |
| <b>Date Opened:</b>             | 1970-01-01                                                 |
| <b>Facility Type:</b>           | District Vaccine Store                                     |
| <b>Ownership:</b>               | Public, MoH :                                              |
| <b>Address:</b>                 | Western Zone-Simiyu Region - Meatu District - Meatu DC - - |
| <b>Official Phone:</b>          |                                                            |
| <b>Website:</b>                 |                                                            |
| <b>In-charge Qualification:</b> |                                                            |
| <b>Nearest Facility:</b>        |                                                            |
| <b>CTC ID:</b>                  |                                                            |
| <b>MSD ID:</b>                  |                                                            |
| <b>MTUHA ID:</b>                |                                                            |

FACILITY SERVICES - Meatu DC

Service Category

Service Description

No results found.

## FACILITY EQUIPMENT - Meatu DC

| Equipment Name: | Functional | Not Functional | Under Maintenance |
|-----------------|------------|----------------|-------------------|
| TCW3000AC       | 1          | 0              | 0                 |
| TCW4000SDD      | 2          | 0              | 0                 |
| 404 MK          | 1          | 0              | 0                 |