UNITED REPUBLIC OF TANZANIA

Ministry of Health

HEALTH FACILITY REGISTRY-FACILITY DETAILS	
Facility Name:	MWENG'EMEKE
Common name:	mweng'emeke modern health laboratory cervices
Status:	Operating
Facility Code:	125025-7
Date Opened:	2025-11-28
Facility Type:	Level IA2 (Dispensary Laboratory)
Ownership:	Private, For Profit : onesmo mfilinge
Address:	Eastern Zone-Morogoro Region - Kilombero District - Ifakara TC - Kibaoni - Kibaoni
Official Phone:	0678367506
Website:	
In-charge Qualification:	
Nearest Facility:	112704-2 - MAENDELEO Level IA2 (Dispensary Laboratory)
CTC ID:	
MSD ID:	
MTUHA ID:	

FACILITY SERVICES - MWENG'EMEKE	
Service Category	**Service Description**
Laboratory Service-Parasitology	Blood Smear for Haemoparasites
Laboratory Service-Parasitology	Malaria Rapid Diagnostic Test (mRDT)
Laboratory Service-Parasitology	Serological test
Laboratory Service-Parasitology	Stool Analysis
Laboratory Service-Parasitology	Stool Sedimentation(Cells,Ova,Cyst and Protozoa)
Laboratory Service-Parasitology	Urine Analysis
Laboratory Service-Parasitology	Urine sedimentation
Laboratory Service-Microbiology	Stool Test
Laboratory Service-Microbiology	Urine Test
Laboratory Service-Serology	Helicobacter pylori
Laboratory Service-Serology	RPR/ VDRL Rapid Test
Laboratory Service-Haematology and Blood Transfusion	ABO Blood Grouping
Laboratory Service-Haematology and Blood Transfusion	Haemoglobin Estimation
Laboratory Service-Clinical Chemistry	Blood Sugar/ Glucose Test (POCT)
Laboratory Service-Clinical Chemistry	UPT
Laboratory Service-Clinical Chemistry	Urine Chemistry

FACILITY EQUIPMENT - MWENG'EMEKE			
Equipment Name:	**Functional**	**Not Functional**	**Under Maintenance**
Glucometer	1	0	0
Thermometer	1	0	0
Spring Balance	1	0	0
Voltage Stabilizer	1	0	0
Staining equipment	1	0	0
Gloves	10	0	0
Sink with taps	2	0	0
Safety Box	2	0	0
Antiseptics and disfectants as per IPC Standard	2	0	0
Clock	1	0	0
Microscope Binocular (Electrical)	1	0	0
Electrical Centrifuge machine	1	0	0
Haemoglobin Machine	1	0	0
Easy Touch	1	0	0
Refrigirator	1	0	0